

G3BP2 Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP_036429.2

Catalog No. A302-041A-T

GeneID 9908

Lot No. A302-041A-T-2

| | |
|------------------------------|---|
| APPLICATIONS | IP |
| SPECIES REACTIVITY | Human |
| PRESUMED REACTIVITY | Based on 100% sequence identity, this antibody is predicted to react with Mouse and Orangutan |
| AMOUNT | 10 µl |
| CONCENTRATION | 1000 µg/ml |
| STORAGE/SHELF LIFE | 2 – 8°C / 1 year from date of receipt |
| PHYSICAL STATE | Liquid |
| BUFFER | Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide |
| ISOTYPE | IgG |
| ORIGIN | USA |
| PRODUCTION PROCEDURES | Antibody was affinity purified using an epitope specific to G3BP2 immobilized on solid support. |

The epitope recognized by A302-041A-T maps to a region between residue 432 and 482 of human GTPase activating protein (SH3 domain) binding protein 2 using the numbering given in entry NP_036429.2 (GeneID 9908).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended. Use rabbit anti-G3BP2 antibody A302-040A.


Immunoprecipitation 2 – 10 µg/mg lysate

ADDITIONAL INFO <https://www.bethyl.com/product/A302-041A-T>

Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: June 6, 2022



Detection of human G3BP2 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from HEK293T cells prepared using NETN lysis buffer. *Antibodies:* Affinity purified rabbit anti-G3BP2 antibody (A302-041A lot 2) used for IP at 6 µg per reaction. G3BP2 was also immunoprecipitated by a previous lot of this antibody (A302-041A lot 1) and a second antibody against a different epitope of G3BP2 (A302-040A). For blotting immunoprecipitated G3BP2, A302-041A was used at 1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 1 second.