## Phospho RelA (S529) Antibody





Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP\_068810.2

Catalog No. A302-063A-T GeneID 5970

Lot No. A302-063A-T-1

APPLICATIONS WB

SPECIES REACTIVITY Human

AMOUNT 10 μl

CONCENTRATION 1000 μg/ml

**STORAGE/SHELF LIFE** 2 – 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to Phospho RelA (S529) immobilized

**PROCEDURES** on solid support.

The epitope recognized by A302-063A-T maps to a region of human v-rel

reticuloendotheliosis viral oncogene homolog A surrounding serine 529 when serine 529 is

phosphorylated using the numbering given in entry NP\_068810.2 (GeneID 5970).

**APPLICATIONS** Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2.000 - 1:10.000

Immunoprecipitation Not recommended


ADDITIONAL INFO https://www.bethyl.com/product/A302-063A-T


Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: June 6, 2022





Detection of human Phospho RelA (S529) by western blot. Samples: Whole cell lysate (50  $\mu$ g) from Jurkat cells that were treated with TNF alpha and Calyculin A (+) or mock treated (-). Antibody: Affinity purified rabbit anti-Phospho RelA (S529) antibody A302-063A (lot A302-063A-1) used at 0.1  $\mu$ g/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.

Detection of human Phospho RelA (S529) by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1 mg for IP, 20% of IP loaded) from Jurkat cells that were treated with TNF alpha and Calyculin A (+) or mock treated (-). *Antibodies:* RelA was immunoprecipitated with affinity purified rabbit anti–RelA antibody A301–824A. Immunoprecipitated RelA was treated with phosphatase or mock treated. Affinity purified rabbit anti–Phospho RelA (S529) antibody A302–063A (lot A302–063A–1) used for WB at 1 µg/ml. *Detection:* Chemiluminescence with exposure time of 30 seconds.