

# INCENP IHC Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID Q9NQS7

Catalog No. IHC-00060

GeneID 3619


Lot No. IHC-00060-1




APPLICATIONS	ICC-IF
SPECIES REACTIVITY	Human
AMOUNT	100 µl
CONCENTRATION	250 µg/ml
STORAGE/SHELF LIFE	2 – 8° C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	Antibody was affinity purified using an epitope specific to INCENP immobilized on solid support.  The epitope recognized by IHC-00060 maps to a region between residue 325 and 400 of human Inner Centromere Protein using the numbering given in entry Q9NQS7 (GeneID 3619).
APPLICATIONS	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.  Immunofluorescence 1:100 – 1:500 (ICC)
APPLICATION NOTES	Formaldehyde-Fixed Cells 1:100 – 1:500: Permeabilization with Triton-X 100 is recommended.  Likely to work with frozen sections.  In some cases, the antibody may be diluted further than indicated.
ADDITIONAL INFO	<a href="https://www.bethyl.com/product/IHC-00060">https://www.bethyl.com/product/IHC-00060</a> Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.  
Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019

**Detection of human INCENP by immunocytochemistry.**

*Sample:* NBF-fixed asynchronous HeLa cells. *Antibody:* Affinity purified rabbit anti-INCENP (Cat. No. IHC-00060) used at a dilution of 1:250. *Detection:* goat anti-rabbit IgG (h&l)-FITC (Cat. No. A120-101F) used at a dilution of 1:100.

**Detection of human INCENP by immunocytochemistry.**

*Sample:* NBF-fixed asynchronous HeLa cells. *Antibody:* Affinity purified rabbit anti-INCENP (Cat. No. IHC-00060) used at a dilution of 1:250. *Detection:* goat anti-rabbit IgG (h&l)-FITC (Cat. No. A120-101F) used at a dilution of 1:100.