

NMI IHC Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP_004679.1

Catalog No. IHC-00195-T

GeneID 9111


Lot No. IHC-00195-T-1




APPLICATIONS	IHC
SPECIES REACTIVITY	Human
AMOUNT	10 µl
CONCENTRATION	50 µg/ml
STORAGE/SHELF LIFE	2 – 8° C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	Antibody was affinity purified using an epitope specific to NMI immobilized on solid support. The epitope recognized by IHC-00195-T maps to a region between residues 250 and the C-terminus (residue 307) of human N-myc and STAT interactor using the numbering given in entry NP_004679.1 (GeneID 9111).
APPLICATIONS	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use. Immunohistochemistry 1:100 – 1:500
APPLICATION NOTES	Epitope exposure is recommended. Epitope exposure with citrate buffer will enhance staining. Likely to work with frozen sections.
IHC HUMAN CONTROLS	In some cases, the antibody may be diluted further than indicated. Bladder Cell Carcinoma, Breast Carcinoma, Ovarian Carcinoma
ADDITIONAL INFO	https://www.bethyl.com/product/IHC-00195-T Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019

**Detection of human NMI by immunohistochemistry.**

Sample: FFPE section of human mucinous ovarian carcinoma. *Antibody:* Affinity purified rabbit anti-NMI (Cat. No. IHC-00195-T) used at a dilution of 1:250. *Detection:* DAB

**Detection of human NMI by immunohistochemistry.**

Sample: FFPE section of human colon adenocarcinoma. *Antibody:* Affinity purified rabbit anti-NMI (Cat. No. IHC-00195-T) used at a dilution of 1:250. *Detection:* DAB