

Cyclin E1 IHC Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP_001229.1

Catalog No. IHC-00341-T

GeneID 898

Lot No. IHC-00341-T-1



APPLICATIONS IHC

SPECIES REACTIVITY Human

AMOUNT 10 µl

CONCENTRATION 250 µg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG

ORIGIN USA

PRODUCTION PROCEDURES Antibody was affinity purified using an epitope specific to Cyclin E1 immobilized on solid support.

The epitope recognized by IHC-00341-T maps to a region between residue 360 and 410 of human cyclin E1 using the numbering given in entry NP_001229.1 (GeneID 898).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Immunohistochemistry 1:100 – 1:500

APPLICATION NOTES Epitope exposure is recommended.

Epitope exposure with citrate buffer will enhance staining.

Likely to work with frozen sections.


In some cases, the antibody may be diluted further than indicated.

IHC HUMAN CONTROLS Breast Carcinoma, Ovarian Carcinoma, Pancreatic Islet Cell Tumor, Prostate Carcinoma

ADDITIONAL INFO <https://www.bethyl.com/product/IHC-00341-T>

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

**Detection of human Cyclin E1 by immunohistochemistry.**

Sample: FFPE section of human prostate carcinoma.

Antibody: Affinity purified rabbit anti-Cyclin E1 (Cat. No. IHC-00341-T) used at a dilution of 1:250. *Detection:* DAB