## **ABC50 IHC Antibody**

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP\_001020262.1

Catalog No. IHC-00588-T GeneID 23

Lot No. IHC-00588-T-1

APPLICATIONS IHC

AMOUNT 10 µl

CONCENTRATION 250 μg/ml

**STORAGE/SHELF LIFE** 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

**BUFFER** Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to ABC50 immobilized on solid support.

The epitope recognized by IHC-00588-T maps to a region between residue 795 and 845 of human ATP-binding cassette 50 using the numbering given in entry NP 001020262.1 (GeneID

23).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm

of 1.4 equals 1.0 mg of IgG.

**APPLICATIONS** Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Immunohistochemistry 1:100 - 1:500

**APPLICATION NOTES** Epitope exposure is recommended.

Epitope exposure with tris-EDTA pH9.0 buffer will enhance staining.

Likely to work with frozen sections.

In some cases, the antibody may be diluted further than indicated.

IHC HUMAN CONTROLS Breast Carcinoma, Colon Carcinoma, Prostate Carcinoma


ADDITIONAL INFO https://www.bethyl.com/product/IHC-00588-T

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019





**Detection of human ABC50 by immunohistochemistry.** *Sample:* FFPE section of human colon carcinoma. *Antibody:* Affinity purified rabbit anti-ABC50 (Cat. No. IHC-00588-T) used at a dilution of 1:250. *Detection:* DAB