


Myoglobin Monoclonal Antibody [5mb-64]

Mouse Monoclonal


Purified		RefSeq ID	NP_005359.1
Catalog No.	A500-045A	Uniprot ID	P02144
Lot No.	1	GenelD	4151

APPLICATIONS	WB, IHC
SPECIES REACTIVITY	Human, Mouse
AMOUNT	100 µl (50+ tests)
CONCENTRATION	100 µg/ml
STORAGE/SHELF LIFE	2 – 8°C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Phosphate Buffered Saline (PBS) with 0.1% BSA and 0.09% Sodium Azide
ISOTYPE	IgG1
CLONE #	5mb-64
ORIGIN	USA
PRODUCTION PROCEDURES	Monoclonal antibody was purified from cell culture supernatant. Immunogen was human Myoglobin
APPLICATIONS	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use. Western Blot 1:1,000 Immunohistochemistry 1:100 to 1:500. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections.
APPLICATION NOTES	All western blot analysis is performed using 5% Milk-TBST for blocking and as antibody diluent. Primary antibody is incubated overnight. Western blots are performed using Goat anti-Mouse IgG Heavy and Light Chain Antibody (A90-216P).
IHC HUMAN CONTROLS	Cardiac Muscle, Skeletal Muscle
IHC MOUSE CONTROLS	Skeletal Muscle
ADDITIONAL INFO	https://www.fortislifesciences.com/p/A500-045A Use the link above to view SDS, a current list of citations, and other product specific information.


This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: May 1, 2024




Detection of human Myoglobin by western blot. *Samples:* Whole cell tissue lysate (50 µg) from human heart and skeletal muscle. *Antibody:* Mouse anti-Myoglobin monoclonal antibody [5mb-64] (A500-045A lot 1) used at 1:1000. *Secondary:* HRP-conjugated goat anti-mouse IgG (A90-116P). *Detection:* Chemiluminescence with an exposure time of 1 second.



Detection of human Myoglobin by immunohistochemistry. *Sample:* FFPE section of human cardiac muscle. *Antibody:* Mouse anti-Myoglobin monoclonal antibody [5mb-64] (A500-045A lot 1). *Secondary:* HRP-conjugated goat anti-mouse IgG (A90-116P).



Detection of mouse Myoglobin by western blot. *Samples:* Whole cell tissue lysate (50 µg) from mouse liver, heart, and skeletal muscle. *Antibody:* Mouse anti-Myoglobin monoclonal antibody [5mb-64] (A500-045A lot 1) used at 1:1000. *Secondary:* HRP-conjugated goat anti-mouse IgG (A90-116P). *Detection:* Chemiluminescence with an exposure time of 10 seconds.



Detection of mouse Myoglobin by immunohistochemistry. *Sample:* FFPE section of mouse skeletal muscle. *Antibody:* Mouse anti-Myoglobin monoclonal antibody [5mb-64] (A500-045A lot 1). *Secondary:* HRP-conjugated goat anti-mouse IgG (A90-116P).